

Arek Solutions

Forging the Future from the Past

- Ferrous & Non-Ferrous Metal Scrap
- Global Sourcing
- Quality & Compliance



Arek Solutions

Houston, Texas, USA

Ph: +1.832.380.5489

<https://areksolutions.com/recycled-metals/>



Al Wire (baled)



ISRI Code: Talk/Tease

- Clean aluminum wire (stripped), bright or mixed diameters; no insulation.
- Al $\geq 99.7\%$ typical; low oil/paint; Fe & other metals minimized.
- Clean & dry; no steel core; moisture controlled.

Al Ingots A7



- A7 grade ingots
- Al 99.7% min; weight ≈ 22.5 kg each
- LME registered, test certificates provided upon request.

Al 6063 $\leq 1\%$ attach



ISRI Code: Taldone/Tabor

- 6063 profile scrap with $\leq 1\%$ attachment
- Free from paint; minimal foreign material
- High grade extrusion; low contamination

Al UBC Scrap



ISRI Code: Taldon

- Used Beverage Can Scrap
- Bales $\approx 30 \times 42 \times 60$ ", 800–1,000 lb each
- Empty, dry, free of liquids & glass

Al Alloy Wheels



ISRI Code: Troma/Tromb

- Clean alloy wheel scrap; no tires
- Primarily Al-Si alloys
- No steel, rubber, or non-metal contaminants

Rail R50/R65 (HMS-1)



ISRI Code: 28

- Heavy melting scrap, rail sections R50/65
- Length 6–12 m; thickness per ISRI
- No excessive rust, bends, or attachments

Cu Cathodes 99.99%



- High-grade copper cathodes
- 99.99% Cu; LME registered
- Assay certificates provided upon request.

Cu Millberry 99.9%



ISRI Code: Barley

- Bright & shiny copper wire
- Cu min 99.9%
- No insulation; free of attachments

Cu Ingots 99.9%



- Electrolytic copper ingots
- 99.9% Cu; 500–1,000 kg bundles
- High purity, assay certs provided upon request.

Packaging Options by Material

Al Wire 99.7%

- Coils / bundles
- Strapped; liner optional
- Bale option on request

Al Ingots A7

- ~22.5 kg ingots (typical)
- Strapped on pallets
- Shrink film / corner boards

Al 6063 ≤1% attach

- Baled extrusion
- No liquids / paint flakes
- Corner-protected

Al 6063 ≤5% attach

- Baled extrusion
- Slight attach allowed
- Corner-protected

Al Alloy Wheels

- Loose or baled
- No tires / rubber
- Drained / dry

Al UBC Scrap

- Baled ~30×42×60"
- Densities 800–1000 lb (typical)
- Dry; no liquids

OPERATIONAL HIGHLIGHTS

Global Network

- Offices and partners across Europe, Asia, Middle East, and North America
- Established logistics routes to major seaports and airports
- Local market expertise ensures faster customs clearance
- Trusted supplier base with long-term relationships
- Milestone-based engagement for large-scale operations


Payment Terms

- Flexible terms: TT (Bank Wire), LC depending on order size
- Milestone-based payment options for large contracts
- Transparent pricing with no hidden charges
- Strong track record of on-time settlements

Delivery Terms

- FOB, CIF, CFR, and EXW shipping options
- Optimized freight solutions via sea, air, and land
- Dedicated logistics partners for door-to-door delivery
- Real-time tracking and documentation support
- Milestone delivery checkpoints for accountability

ORDER -TO- DELIVERY



Inquiry



Offer & Terms



QC/Inspection



Delivery

- **Competitive Pricing** – Fair, clear, and consistent pricing reflecting global and local trends.
- **Complete Documents** – CI, PL, B/L, COO; inspection certificates (SGS/CIQ/Intertek) prepared per buyer requirements.
- **Reliable Delivery** – Dependable lead time forecasting and ensuring on-time deliveries.
- **Live Coordination** – Packing photos, weights, container seals, and schedule updates shared throughout the shipment.
- **Verified Weights** – Accurate calibrated weight reporting for careful inventory management.
- **Professional Packing** – Material protection using integrated dunnage strategies for safe shipping.
- **Diligent Monitoring** – Continuous oversight from order placement through final delivery